



...going one step further



A881

(1000177)

- | | |
|--|--|
| 1 M. iliacus | 48 M. semimembranosus, origo |
| 2 M. quadratus lumborum, origo | 49 M. iliacus, origo |
| 3 Os coxae | 50 Foramen ischiadicum majus |
| 4 M. psoas major | 51 M. quadratus femoris, origo |
| 5 Ramus superior ossis pubis | 52 Tuber ischiadicum |
| 6 M. pectineus, origo | 53 Collum femoris |
| 7 M. rectus abdominis, insertio | 54 Trochanter minor |
| 8 M. obliquus internus abdominis, insertio | 55 M. gluteus minimus, insertio |
| 9 M. adductor longus, origo | 56 Trochanter major |
| 10 M. adductor brevis, origo | 57 M. gluteus medius, insertio |
| 11 M. gracilis, origo | 58 M. piriformis, insertio |
| 12 M. adductor magnus, origo | 59 Caput femoris |
| 13 M. obturatorius externus, origo | 60 Capsula articularis |
| 14 Ramus inferior ossis pubis | 61 M. gluteus minimus, origo |
| 15 M. iliopsoas | 62 M. obturatorius internus, origo |
| 16 M. vastus intermedius, origo | 63 M. iliopsoas, insertio |
| 17 Femur | 64 Spina iliaca anterior inferior |
| 18 M. vastus lateralis, origo | 65 Spina iliaca anterior superior |
| 19 M. gluteus minimus | 66 M. gluteus medius, origo |
| 20 M. rectus femoris, origo | 67 M. obturatorius internus et mm.
gemelli superior et inferior, insertio |
| 21 M. gluteus medius | 68 M. obturatorius externus, insertio |
| 22 M. sartorius, origo | 69 M. quadratus femoris, insertio |
| 23 M. obliquus externus abdominis, insertio | 70 M. gemellus inferior, origo |
| 24 M. obliquus internus abdominis, origo | 71 Spina ischiadica |
| 25 M. transversus abdominis, origo | 72 M. gemellus superior, origo |
| 26 M. erector spinae, origo | 73 M. gluteus maximus, origo |
| 27 M. piriformis | |
| 28 M. coccygeus, origo | |
| 29 M. levator ani, origo | |
| 30 M. gluteus maximus | |
| 31 Lig. sacrotuberale | |
| 32 M. obturatorius internus | |
| 33 M. transversus perinei superficialis, origo | |
| 34 M. ischiocavernosus, origo | |
| 35 M. transversus perinei profundus, origo | |
| 36 M. vastus medialis, origo | |
| 37 M. latissimus dorsi, origo | |
| 38 M. gemellus superior | |
| 39 M. gemellus inferior | |
| 40 M. quadratus femoris | |
| 41 M. pectineus, insertio | |
| 42 M. gluteus maximus, insertio | |
| 43 M. adductor magnus, insertio | |
| 44 M. adductor brevis, insertio | |
| 45 M. biceps femoris, origo | |
| 46 M. semitendinosus, origo | |
| 47 M. tensor fasciae latae, origo | |

Hip joint

English

The model shows the right hip joint of a male with the individual muscles as well as the muscle origins and insertions on the femur and the hip bone. For educational purposes, the origin and insertion areas of the muscles have been raised and presented in colour (muscle origin = red; muscle insertion = blue). The hip muscles have been mounted on their corresponding regions of origin and insertion and are thus removable.

- | | |
|--|---|
| 1 Iliacus | 47 Tensor fasciae latae, origin |
| 2 Quadratus lumborum, origin | 48 Semimembranosus, origin |
| 3 Hip bone | 49 Iliacus, origin |
| 4 Psoas major | 50 Greater sciatic foramen |
| 5 Superior pubic ramus | 51 Quadratus femoris, origin |
| 6 Pectineus, origin | 52 Sciatic tuber |
| 7 Rectus abdominis, insertion | 53 Neck of femur |
| 8 Obliquus internus abdominis, insertion | 54 Lesser trochanter |
| 9 Adductor longus, origin | 55 Gluteus minimus, insertion |
| 10 Adductor brevis, origin | 56 Greater trochanter |
| 11 Gracilis, origin | 57 Gluteus medius, insertion |
| 12 Adductor magnus, origin | 58 Piriformis, insertion |
| 13 Obturator externus, origin | 59 Head of femur |
| 14 Inferior pubic ramus | 60 Joint capsule |
| 15 Iliopsoas | 61 Gluteus minimus, origin |
| 16 Vastus intermedius, origin | 62 Obturator internus, oigin |
| 17 Femur | 63 Iliopsoas, insertion |
| 18 Vastus lateralis, origin | 64 Anterior inferior iliac spine |
| 19 Gluteus minimus | 65 Anterior superior iliac spine |
| 20 Rectus femoris, origin | 66 Gluteus medius,origin |
| 21 Gluteus medius | 67 Obturator internus and gemellus superior
and gemellus inferior, insertion |
| 22 Sartorius, origin | 68 Obturator externus, insertion |
| 23 Obliquus externus abdominis, insertion | 69 Quadratus femoris, insertion |
| 24 Obliquus internus abdominis, origin | 70 Gemellus inferior, origin |
| 25 Transversus abdominis, origin | 71 Ischial spine |
| 26 Erector spinae, origin | 72 Gemellus superior, origin |
| 27 Piriformis | 73 Gluteus maximus, origin |
| 28 Coccygeal muscle, origin | |
| 29 Levator ani, origin | |
| 30 Gluteus maximus | |
| 31 Sacrotuberous ligament | |
| 32 Obturator internus | |
| 33 Superficial transverse perineal muscle,
origin | |
| 34 Ischiocavernosus origin | |
| 35 Deep transverse perineal muscle, origin | |
| 36 Vastus medialis, origin | |
| 37 Latissimus dorsi, origin | |
| 38 Gemellus superior | |
| 39 Gemellus inferior | |
| 40 Quadratus femoris | |
| 41 Pectineus, insertion | |
| 42 Gluteus maximus, insertion | |
| 43 Adductor magnus, insertion | |
| 44 Adductor brevis, insertion | |
| 45 Biceps femoris, origin | |
| 46 Semitendinosus, origin | |















